

INDEX MAPS.

T. 4N R. 5W 2nd Mer.

	398 399	398 399	397-398	397-398	397-398	397-399	
401	6	419	5	416	4	3	1 397
	420	418	415	412	411	408	
401	7	418	8	415	9	411	10 407 11 404 12 396
	420	418	415	411	407	404	
401	18	417	17	414	16	410	15 407 14 403 13 396
	419	417	414	410	407	403	
400	19	417	20	414	21	410	22 406 23 403 24 395
	419	417	413	409	406	402	
400	30	416	29	413	28	409	27 406 26 402 25 395
	419	416	413	409	405	402	
399	31	416	32	413	33	409	34 405 35 401 36 395
	394	394	394	393	393	393	

T. 5N R. 5W 2nd Mer.

	428	428	427-429	427-429	427-429	427-429	
431	6	447	5	444	4	441	3 437 2 434 1 427
	448	447	444	440	437	434	
430	7	447	8	443	9	440	10 437 11 433 12 426
	448	446	443	440	436	433	
430	18	446	17	443	16	439	15 436 14 433 13 426
	448	446	443	439	436	432	
430	19	445	20	442	21	439	22 435 23 432 24 426
	449	445	442	438	435	432	
430	30	444	29	441	28	438	27 435 26 431 25 426
	449	444	441	438	434	431	
429	31	449	32	441	33	438	34 434 35 431 36 425
	424	424	423-425	423-425	423-425	423-425	

The figures on the lines refer to the page.

Township No 5 North of Range No 5 West of the 2nd Mer. 423
Ch. lks. *South Boundary*

West On a Random line On the South Boundary of Sec 36.
T. 5 N. R. 5 W.

D 39

40.00 Set a temporary 1/4 sec post

60.00 Iron Brush thickets 25 ch. mds.

80.00 Set a temporary post for the cor. of Sec. 35 & 36.

Land brushy Timber Oak, Hick & 1/2

West On a Random line On the S. Boundary of Sec. 35. T. 5 N. R. 5 W.

25.00 To Timbered land

37.50 Iron Brook 10 links mds, Corner S. W.

40.00 Set a temporary 1/4 sec post

57.00 Iron Brook. 12 links mds, Corner S.

80.00 Set a temporary post for the cor. of Sec. 34 & 35

Land same as last mds.

West On a Random line On the South Boundary of Sec. 34. T. 5 N. R. 5 W.

40.00 Set a temporary 1/4 sec post

80.00 Set a temporary post for the cor. of Sec. 33 & 34

Land level Timber Oak, Hick & 1/2

West On a Random line On the South Boundary of Sec. 33

40.00 Set a temporary 1/4 sec post

82.96 Full North of the corner Establishment for the cor. of
Sec. 32 & 33. T. 5 N. R. 5 W.

Land rolling and brushy

East On the true line On the South Boundary of Sec. 32
T. 5 N. R. 5 W.

2.96 Set a post for the cor. of Sec. 32 & 33 in a brush
thicket; no timber nigh. This post is 4 miles
from the East Boundary of T. 5 N. R. 5 W.

T. N. 5 N.R. N. 5 W. 2nd Mer. Ind.

West On the South Boundary of Sec. 32. T. 5 N.R. 5 W.
 40.00 Set a $\frac{1}{4}$ sec post from which a
 Hickory 10 in. diam. bears N 19 W. 38 links dist; & a
 Do. 18 " " " N 12 E. 50 " "
 43.76 To the old $\frac{1}{4}$ sec cor.
 80.00 Set a post for the cor. of Sec. 31 & 32 from which a
 W. Oak 10 in. diam. bears N 30 E. 63 links dist; & a
 B. Oak 20 " " " S 54 W. 68 " "

West On the South Boundary of Sec. 31. T. 5 N.R. 5 W.
 44.45 To the old cor. of Sec. 31 & 32
 40.00 Set $\frac{1}{4}$ sec. post; corner in prairie
 95.00 To Iron corner.

Surveyed by
 Arthur Kenner. A.S.

E 2nd N From the N.W. corner of T. N. 4 N.R. 5 W. on the
 South Boundary of Sec. 31. T. 5 N.R. 5 W.
 49.50 Set a $\frac{1}{4}$ sec. post in a prairie about 2 miles in
 diameter.
 89.50 Set a post for the cor. of Sec. 31 & 32 from which a
 Gum. 9 in. diam. bears N 20 W. 40 links dist; & a
 Oak 8 " " " N 42 E. 92 " "
 This mile for the greatest part in the prairie

E 2nd N On the South Boundary of Sec. 32. T. 5 N.R. 5 W.
 40.00 Set a $\frac{1}{4}$ sec post from which a
 W. Oak 18 in. diam. bears N 69 W. 52 links dist; & a
 Hickory 9 " " " East 12 " "
 Sand herb and grassy; Timber Oak & Hickory
 80.00 Set a post for the cor. of Sec. 32 & 33 from which a
 Hickory 8 in. diam. bears N 56 W. 148 links dist; & a
 Sand barrens

T. N. 5 N. R. N. 5 W. 2nd Mer. Sec. 5

Surveyed in 1805 by
David Sanford, Ld.

East	On the true line On the South Boundary of sec. 33. T. 5 N. R. 5 W. Var. 7.55' D. 42
40.00	Set the temp. 1/4 sec post on the true line from which a W Oak 12 in. diam. bears S 37 W. 19 links dish; &c
80.00	Set the temp. 1/4 post on the true line for the cor. of sec. 33 & 34 from which a W Oak 9 in. diam. bears N 49 W. 35 links dish made a Co. 7 " " " N 34 E. 21 " "
East	On the true line On the S. Boundary of sec. 34. T. 5 N. R. 5 W.
40.00	Set the temp. 1/4 sec post on the true line from which a W Oak 6 in. diam. bears S 49 E. 13 links dish; &c Wicks 10 " " " N 6 W. 35 " "
80.00	Set the temp. 1/4 post on the true line from which a (cor. of sec. 34 & 35) W Oak 10 in. diam. bears N 39 W. 35 links dish;
East	On the true line On the South Boundary of sec. 35. T. 5 N. R. 5 W.
40.00	Set the temp. 1/4 sec post on the true line from which a W Oak 10 in. diam. bears N 18 W. 30 links dish; &c Co. 18 " " " S 76 W. 15 " "
80.00	Set the temp. 1/4 post on the true line for the cor. of sec. 35 & 36 from which a W Oak 7 in. diam. bears S 72 E. 60 links dish.
East	On the true line On the South Boundary of sec. 36. T. 5 N. R. 5 W.
40.00	Set a 1/4 sec post on the true line from which a W Oak. - in. diam. bears N 34 E. 12 links dish; &c W Oak 10 " " " S 66 E. 26 " "
80.00	To the corner of sec. 36 & 37. 4 & 5 N. R. 5 W.
East Boundary Var. 6.45' I. 31.	
North	On the East Boundary of sec. 36. T. 5 N. R. 5 W.

T. N. 5 N. R. N. 5 W. 2nd Mer. Sec. 2

40.00	Set a $\frac{1}{4}$ cu post from which a Heik 12 in. dia. beam. N42 E. 44 links due;
80.00	Set a post for the cor. of sec. 25 & 36 from which a W Oak. 20 in. dia. beam. S23 E. 216 links due; Land covered with Brush; no timber.
North	On the East Boundary of sec. 25 T. 5 N. R. 5 W.
40.00	Set a $\frac{1}{4}$ cu. post. no timber in sight
65.00	To Oak & Heik timbered land
80.00	Set a post for the cor. of sec. 24 & 25 from which a W Oak. 24 in. dia. beam. S28 W. 40 links due; & a Ho. 20 " " " S70 E. 38 " "
North	On the East Boundary of sec. 24. T. 5 N. R. 5 W.
40.00	Set a $\frac{1}{4}$ cu post (no bearings)
80.00	Set a post for the cor. of sec. 13 & 24 from which a W Oak. 18 in. dia. beam. N45 E. 54 links due;
North	On the East Boundary of sec. 13. T. 5 N. R. 5 W.
40.00	Set a $\frac{1}{4}$ cu post from which a Yum. 9 in. dia. beam. N52 E. 36 links due; &
44.00	To a Brook. 50 links wide, comes W.
80.00	Set a post for the cor. of sec. 12 & 13 from which a W Oak. 24 in. dia. beam. S15 W. 32 links due; & a Ho. 12 " " " S35 E. 26 " " Land rolling; Timber same.
North	On the East Boundary of sec. 12 T. 5 N. R. 5 W.
40.00	Set a $\frac{1}{4}$ cu post from which a W Oak. 12 in. dia. beam. S23 W. 28 links due; & a W Oak. 18 " " " N38 E. 55 " "
47.40	To a Poplar 24 in. dia. stands in the line.
80.00	Set a post for the cor. of sec. 1 & 12 from which a

427

T. N. 5 N.R. N. 5 W. 2nd Mer. Ind.

Log made 9 mi. dist. from. S10 W. 38 links ash;
 1/2 W Oak. 20 " " " N61 W. 21 " "
 Sand soil and timber same.

North
 40.00 On the East Boundary of T. 5 N.R. 5 W.
 Set a 1/4 sec. post from which
 W Oak. 20 mi. dist. from. S50 W. 3 links ash; 1/2
 80.00 Do. 10 " " " S83 E. 15 " "
 Set a post for the cor. of T. 5, 5, & 6. 6. N.R. 5 4 & 5 W.
 from which W Oak. 10 mi. dist. from. South 10 links ash
 and a W Oak. 8 " " " N38 E. 11 " "
 Sand flat; Timber Oak, ash & Hickory.

North Boundary D. 15.

West
 31.00 On a Random line On the E. Boundary of T. 36, 36 N. 5 W.
 To a Brook 5 links wide, Corner N.
 40.00 Set a temp. 1/4 sec. post
 80.00 Set a temp. 1/4 post for the cor. of T. 35 & 36
 Sand rock; Timber Oak & Hickory

West
 40.00 On a Random line On the South Boundary of T. 35, 36 N. 3 W.
 Set a 1/4 sec. post. (temp. 1/4)
 80.00 Set a temp. 1/4 post for the cor. of T. 34 & 35.
 Sand soil & timber same as last mile.

West
 40.00 On a Random line, on the South Boundary of T. 34, 36 N. 5
 Set a temp. 1/4 sec. post
 79.00 To a Spring Corner S.
 80.00 Set a temp. 1/4 post for the cor. of T. 33 & 34
 Sand rolling; Timber same as last mile.

West
 40.00 On a Random line on the South Boundary of T. 33, 36 N. 5
 Set a temp. 1/4 sec. post

T. N. 5 N.R. N. 571. 2nd Mer. Ind. 2

80.00	Set a temp. 1/4 post for the cor. of sec. 32 & 33. Sandy soil and timber same.
West	On a Random line On the South Boundary of sec. 32, T. 6 N. R. 5 W.
26.00	To a Brook 9 links wide, Course N. W.
40.00	Set a 1/4 sec. post (temp. 1/4)
76.75	To a Brook 50 links wide, Course N.
80.00	Set the temp. 1/4 post for the cor. of sec. 31 & 32 Sandy flat timber Ash, Elm, &c.
West	On a Random line On the South Boundary of sec. 31, T. 6 N. R. 5 W.
21.80	To a Brook 50 links wide, Course S. W.
26.50	" same. 50 " " " N. W.
40.00	Set a temp. 1/4 sec. post
49.50	To the South Boundary of the same Creek.
88.58	Set out the N. 78 Range line, North of the post. Corner of Towns 5 & 6. N. R. 5 & 6 W. Sandy rolling; Timber Oak, & Hickory.
East	On the true line On the South Boundary of sec. 31, T. 6 N. R. 5 W.
48.58	Set the temp. 1/4 sec. post on the true line from which a B. Oak 12 in. diam. bears S 58° W. 5 links due by & a Sugar 12 " " " S 27° W. 4 1/2 " "
88.58	Set the temp. 1/4 post on the true line for the cor. of sec. 31 & 32 from which a B. Oak 30 in. diam. bears S 9° W. 32 links due by and a " " " " N 21° E. 72 " "
East	On the true line on the South Boundary of sec. 32, T. 6 N. R. 5 W.
40.00	Set the temp. 1/4 sec. post on the true line from which an Ash 10 in. diam. bears N 44° W. 15 links due by & a W. Oak 7 " " " East 43 " "
80.00	Set the temp. 1/4 post on the true line for the cor. of sec. 32 & 33 from which a Dogwood 8 in. diam. bears N 39° E. 16 links due by

T. No 5 N.R. No 5 W. 2nd Mer. Sud?

429

W Oak 20 in. dia: beam. S 37 W. 17 links dia;

East	On the true line on the South Boundary of sec. 33. T. 6. N. R. 5 W.
40.00	Set a 1/4 la post from which (on true line) W Oak. 12 in. dia: beam. N 80 W. 24 links dia; & 3 Lo. 18 " " " S 82 W. 29 " "
80.00	Set the temp. 1/4 post on the true line for the cor. of sec. 33 & 34 from which W Oak. 12 in. dia: beam. S 40 E. 26 links dia; and Lo. 15 " " " N 6 E. 47 " "
East	On the true line On the South Boundary of sec. 34. T. 6. N. R. 5 W.
40.00	Set the temp. 1/4 la. post on the true line from which Poplar. 8 in. dia: beam. N 80 E. 8 links dia; & 3 Lo. 8 " " " S 17 W. 9 " "
80.00	Set a post for the cor. of sec. 34 & 35 from which (true line) Heik 10 in. dia: beam. S 63 E. 40 links dia; & 3 W Oak. 20 " " " S 70 W. 50 " "
East	On the true line On the South Boundary of sec. 35 T. 6. N. R. 5 W.
40.00	Set the temp. 1/4 la. post on the true line from which Heik 10 in. dia: beam. N 5 W. 11 links dia; & 3 Poplar. 10 " " " S 74 W. 15 " "
80.00	Set the temp. 1/4 post on the true line for the cor. of sec. 35 & 36 from which W Oak. 10 in. dia: beam. S 4 E. 32 links dia; and Heik 12 " " " S 38 W. 40 " "
East	On the true line on the South Boundary of sec. 36. T. 6. N. R. 5 W.
40.00	Set the temp. 1/4 la. post on the true line from which W Oak. 10 in. dia: beam. N 6 E. 30 links dia;
80.00	To the post cor. of T. 6. N. R. 5 & 4 W.

West Boundary.

T. 6. N. 15'

North On the East Boundary of sec. 36. T. 5 N. R. 6 W.

22.

T. N^o 5 N.R. N^o 5 W. Q^{ua} M^o. Ind^o.

40.00	Set a 74 su post.
67.50	To a Brook 10 links wide, Corner N.
80.00	Set a post for the cor. of sec. 25 & 36.
North	On the East Boundary of sec. 25 T. 5 N.R. 6 W.
33.00	To a Brook 12 links wide, Corner N.
40.00	Set a 74 su post.
80.00	Set a post for the cor. of sec. 24 & 25 in the prairie
North.	On the East Boundary of Sec. 24. T. 5 N.R. 6 W.
40.00	Set a 74 su post.
60.00	To timbered land.
80.00	Set a post for the cor. of sec. 13 & 24 from which is 13 Oak. 20 in. diam. trees. S 15 W. 23 links each; 1/2 Do. 20 " " " N 22 W. 20 " " Timber Oak, Hickory & S.
North	On the East Boundary of sec. 13. T. 5 N.R. 6 W.
32.00	To a spring branch.
40.00	Set a 74 su post from which is Gum. 8 in. diam. trees. S 6 E. 24 links each; 1/2 Do. 9 " " " N 53 W. 8 " " 80.00 Set a post for the cor. of sec. 12 & 13. from which is 13 Oak. 25 in. diam. trees. S 34 E. 37 links each; 1/2 W. Oak. 12 " " " N 57 W. 28 " " Same do rolling; Timber Oak, Hickory & S.
North	On the East Boundary of sec. 12. T. 5 N.R. 6 W.
40.00	Set a 74 su post from which is Hickory 10 in. diam. trees. S 81 W. 16 links each; 1/2 Do. 10 " " " N 33 E. 31 " " 80.00 Set a post for the cor. of sec. 1 & 12 from which is W. Oak 12 in. diam. trees N 73 W. 3 links each; 1/2

431

T. N^o 5 N.R. N^o 4. 4. 2nd Mer. Ind.

Quarry, 8 in. dia. beam. N 51 E. 17 links out;
Sandy soil and timber same. at last mile.

North 40.00 82.82	On the East Boundary from T. 5 N.R. N ^o 6 W. Set a 1/4 sec. post from which B Oak. 20 in. dia. beam. N 19 E. 42 links out; Set a post for the cor. of sections 5 & 6. N R ^o 5 & 6 W. from which a W Oak. 20 in. dia. beam. N 66 W. 44 links out; also a No. 18 " " " S 49 E. 40 " " Sandy soil and timber same.
-------------------------	---

Subdivisions

North 40.00 80.00	Between Sec. 35 & 36 T. 5 N.R. 5 W. Set a 1/4 sec. post in the barrens. Set a post for the cor. of sec. 25 & 36.
-------------------------	--

East 40.00 80.20	Cap Ransom line between Sec. 25 & 36 T. 5 N.R. 5 W. Set a temporary 1/4 sec. post. Enter out the N & S line on East Boundary 10 links South of the post cor. of sec. 25 & 36. Sandy hilly and soil thin; covered with brush.
------------------------	--

West 40.10	On the true line between Sec. 25 & 36 T. 5 N.R. 5 W. Set the temporary post at the corner which on the true line for the cor of 1/4 sec. This mile not corrected.
---------------	---

North 25.00 40.00 67.20 80.00	Between Sec. 25 & 26 T. 5 N.R. 5 W. Is timbered land; Set a 1/4 sec. post from which a B Oak. 10 in. dia. beam. N 11 W. 33 links out; No. 10 " " " N 56 E. 15 " " Set a W Oak. 22 in. dia. stands in the land. Set a post for the cor of sec. 23, 24, 25 & 26 from which a
---	--

T. N. 5 N.R. N. 54. Q. M. M. Ind.

W Oak. 12 in. diam. trees N 63 W. 32 links each; & c
 La 10 " " " S 55 E 8 " "
 Sand hard; thin soil; Timber Oak, & Hickory.

East On a Random line between Sec. 24 & 25 T. 5 N. R. 5 W.
 40.00 Set a temp. 1/4 sa post
 80.30 Enter at the East Bound 1/2 10 links South of the post
 corner of sec. 24 & 25.
 Land same very brushy.

West On the true line between Sec. 24 & 25 T. 5 N. R. 5 W.
 40.15 Set the temp. 1/4 sa post at the corner each on the true line
 from which a W Oak. 20 in. diam. trees S 80 W. 130 links each
 80.30 To the post cor of sec. 23, 24, 25 & 26.

North Return Sec. 23 & 24 T. 5 N. R. 5 W.
 40.00 Set a 1/4 sa post from which a
 Log wood 7 in. diam. trees S 10 E. 51 links each; & c
 Hickory 12 " " " N 72 W. 40 " "
 80.00 Set a post for the cor of sec. 13, 14, 23 & 24 from which a
 W Oak. 6 in. diam. trees S 33 E. 7 links each; & c
 La 9 " " " S 54 W. 15 " "
 Land brushy and rolling

East On a Random line between Sec. 13 & 24 T. 5 N. R. 5 W.
 31.50 To a Brook 8 links wide comes N. at the East side
 of a Pigeon roost
 (40.00 Set a temp. 1/4 sa post ?
 80.10 Enter at the East Bound 1/2 8 links South of the post
 cor. of sec. 13 & 24
 Land thin soil; & hilly; covered with Brush.

West On the true line between Sec. 13 & 24 T. 5 N. R. 5 W.

T. No 5 N.R. No 371. 2nd Mer. Ind.

40.05	Set the trap 1/4 sec. post at the cor. dieb on the true line The above post in a thickets
80.10	To the post cor. of lat. 13, 14, 23 & 24
North	Return lat. 13 & 14 T. 5 N.R. 571.
40.00	Set a 1/4 sec. post from which a Quinn. 10 in. dia. beam. S 80 W. 9 or (19) links dieb; Va Logwood 6, " " S 85 E. 20
80.00	Set a post for the cor. of lat. 11, 12, 13 & 14 from which a W Oak. 20 in. dia. beam. S 10 E. 35 links dieb; Va W Oak. 15 " " " N 7 W. 21 " " Land very bushy and hilly; Timber Oak & Hick.
East	On a Random line between lat. 12 & 13 T. 5 N.R. 571.
28.00	To a Brook. 40 links mile, Course N.W.
40.00	Set a trap 1/4 sec. post
80.00	Enter at the N.S. line or East Boundary 20 links South of the post cor. of lat. 12 & 13 Land same as last mile.
West	On the true line between lat. 12 & 13 T. 5 N.R. 571.
40.00	Set the trap 1/4 sec. post at the cor. dieb on the true line from which Beech. 12 in. dia. beam. N 84 E. 15 links dieb; Va Do. 15 " " " N 7 E. 3 " "
80.00	To the post cor. of lat. 11, 12, 13 & 14
North	Return lat. 11 & 12 T. 5 N.R. 571.
13.75	To a Brook. 25 links mile, Course W.
40.00	Set a 1/4 sec. post from which a W Oak. - in. dia. beam. N 34 W. 31 links dieb; Va Do. - " " " N 18 E. 57 " "
80.00	Set a post for the cor. of lat. 1, 2, 11 & 12 from which a W Oak. 18 in. dia. beam. S 77 E. 10 links dieb; Va

T. No 5 N.R. No 547 2nd Mer. Ind.

Ygn. 12 in. dia. beams N 23 E. 40 links each;
Sande soil and timber same as last mile.

East On a Random line between Sec. 1 & 12 T. 5 N. R. 5 W.
40.00 Set a tamped $\frac{1}{4}$ cu. post
79.88 Intersect the N 28 line or East Boundary 30 links East
of the Post cor. of Sec. 1 & 12
Sande soil and timber same.

West On the true line between Sec. 1 & 12 T. 5 N. R. 5 W.
39.94 Set the tamped $\frac{1}{4}$ cu. post at the cor. dist. on the true line
from which a W. Oak. 12 in. dia. beams N 82 E. 26 links each
made a Heiky 6 " " " N 38 W. 26 " "
79.88 To the Post cor. of Sec. 1. 2. 11. & 12

North Return Sec. 1 & 12 T. 5 N. R. 5 W.
26.60 To a Coplan 20 in. dia. stands in the line.
40.00 Set a $\frac{1}{4}$ cu. post from which a
Heiky 8 in. dia. beams S 15 W. 25 links each; & 3
Logwood Cr. " " S 78 W. 25 " "
81.80 Intersect the N. Boundary 51 links East of the Post cor.
of Sec. 35 & 36 T. 6 N. R. 5 W. and set a post for the cor.
of Sec. 1 & 12 from which a
W. Oak. 20 in. dia. beams. S 8 W. 15 links each & 2
W. Oak. 10 " " " S 88 E. 57 " "
Sande soil timber Oak & Heiky.

North Return Sec. 34 & 35 T. 5 N. R. 5 W.
40.00 Set a $\frac{1}{4}$ cu. post
80.00 Set a post for the cor. of Sec. 26. 27. 34 & 35. in furrows.

East On a Random line between Sec. 26 & 35 T. 5 N. R. 5 W.
30.00 To a Brook 8 links wide, Corner S.

T. No 5 N.R. No 5 W. 2nd Mer. Sud?

40.00	Set a tump 7/4 cu. post
79.90	Intersect the N & S line 18 links North of the post cor. of sec. 25, 26, 35 & 36. Land rolling very brushy; some timber
West	On the true line between Sec. 26 & 35 T. 5 N. R. 5 W.
39.95	Set the tump 7/4 cu. post at the av. dist. on the true line. This line not corrected
North	Between Sec. 26 & 27 T. 5 N. R. 5 W.
40.00	Set a 7/4 cu. post; no timber sign
80.00	Set a post for the cor. of sec. 22, 23, 26 & 27 from which P. Oak. 10 in. dia. bears S 32° W. 40 links dist; & Do. 10 " " " S 39° E. 40 " " This land very brushy
East	On a random line between Sec. 23 & 26 T. 5 N. R. 5 W.
17.50	To a Brook 10 links mid. Course S.
40.00	Set a tump 7/4 cu. post
80.00	Intersect the N & S line 8 links South of the first cor. 23, 24, 25 & 26 Land soil ends timber same.
West	On the true line between Sec. 23 & 26 T. 5 N. R. 5 W.
40.00	Set the tump 7/4 cu. post at the av. dist. on the true line from which P. Oak. 9 in. dia. bears S 36° W. 25 links dist. and a Hickory 12 " " " S 56° E. 20 " "
80.00	To the post cor. of sec. 22, 23, 26 & 27
North	Between Sec. 22 & 23 T. 5 N. R. 5 W.
40.00	Set a 7/4 cu. post from which P. Oak. 18 in. dia. bears S 7° W. 137 links dist;
80.00	Set a post for the cor. of sec. 14, 15, 22 & 23 from which

T. No 5 N.R. No 5 W. 2nd Mer. Sec.

N. Oak 10 in. diam. trees S10 E. 9 links each; & 6
 H. 8 " " " S61 W. 8 " "
 Lands covered with Bush & vines.

East On a Random line between Sec. 14 & 23 T. 5 N. R. 5 W.
 40.00 Set a temporary 1/4 sec. post,
 80.17 Then cut the N & S line 12 links South of the post cor.
 of sec. 13, 14, 23, & 24
 Lands sub and timber same as last mile.

West On the true line between Sec. 14 & 23. T. 5 N. R. 5 W.
 40.06 Set the temporary 1/4 sec. post at the cor. dist. on the true line
 from which a N. Oak. 20 in. diam. trees S68 W. 104 links dist.
 80.17 To the post cor. of sec. 14, 15, 22 & 23.

North Between Sec. 14 & 15 T. 5 N. R. 5 W.
 40.00 Set a 1/4 sec. post from which a
 N. Oak. 18 in. diam. trees N16 E. 48 links each; & 2
 H. 18 " " " S59 W. 19 " "
 75.20 To a N. Oak. 19 in. diam. in the line.
 80.00 Set a post for the cor. of sec. 10, 11, 14, & 15 from which a
 N. Oak. 19 in. diam. trees N19 W. 49 links each; & 2
 N. Oak. 20 " " " N88 E. 10 " "
 Lands hilly & soil thin.

East On a Random line between Sec. 11 & 14 T. 5 N. R. 5 W.
 40.00 Set a 1/4 sec. post (temporary)
 80.00 Then cut the N & S line 18 links North of the post cor. of
 Sec. 11, 12, 13 & 14
 Lands hilly, & covered with brush

West On a true line between Sec. 11 & 14 T. 5 N. R. 5 W.
 40.00 Set the temporary 1/4 sec. post at the cor. dist. on the true line

in a thickets

North	Between Sec. 10. & 11. T. 5 N.R. 5 W.
40.00	Set a 74 th re post from which Logwood 6 in. dia. beams S 30 E. 21 links each; & 1/2 W Oak. 12 " " " S 32 77.48 " "
67.00	To a Brook 25 links away, Corner N.
80.00	Set a post for the cor. of Sec. 2, 3, 10. & 11. from which W Oak 18 in. dia. beam. N 45 W. 34 links each; & 1/2 Hick 8 " " " N 28 E. 29 " " Same same as last mile.
East	On a Random line between Sec. 2 & 11 T. 5 N.R. 5 W.
39.00	To a Brook 10 link mile, Corner South.
40.00	Set a 74 th temp. re post.
80.00	Intersect the N & S line 18 links South of the post cor. of Sec. 1. 2. 11. & 12 Same soil and timber same. as last mile.
West	On the true line between Sec. 2 & 11 T. 5 N.R. 5 W.
40.00	Set the temp. 74 th re. post at av. dist. on the true line from which a Buck. 20 in. dia. beam S 9 E. 22 links each and an Elm. 18 " " " N 83 77.28 " "
80.00	To the post cor. of Sec. 2, 3, 10 & 11.
North	Between Sec. 2 & 3. T. 5 N.R. 5 W.
40.00	Set a 74 th re post from which Logwood 9 in dia. beams N 67 E. 33 links each; & 1/2 Lo. 6 " " " S 19 E. 28 " "
81.80	Intersect the N Boundary, 44 links East of the post cor. of Sec. 34 & 35 T. 6 N.R. 5 W. and set a post for the cor. of Sec. 2 & 3 from which W Oak 20 in. dia. beam. S 45 E. 28 links each; & 1/2

T. N. 5 N.R. 54. 2nd Mer. Sud^r

Heik 10 in. dia. beam 16 ft. 15 inch dia.
Land look Timber Oak & Heik.

North	Between Sec. 33 & 34 T. 5 N.R. 54.
8.00	Prainie
40.00	Set a 7/4 sec. post in a prainie
80.00	Set a post for the cor. of sec. 27, 28, 33 & 34 in the prainie
East	On a random line between Sec. 27 & 34 T. 5 N.R. 54.
40.00	Set a 7/4 sec. post (temp.),
80.00	Enter cut the N & S line 12 links South of the post cor. of sec. 26, 27, 34 & 35
	Land look and timber same as last mile.
West	On the true line between Sec. 27 & 34 T. 5 N.R. 54.
	This line is not corrected.
North	Between Sec. 27 & 28 T. 5 N.R. 54.
40.00	Set a 7/4 sec. post in prainie
80.00	Set a post for the cor. of sec. 21, 22, 27 & 28 in a prainie
East	Between Sec. 22 & 27 T. 5 N.R. 54.
40.00	Set a temp. 7/4 sec. post.
75.00	To timbered land.
80.00	Enter cut the N & S line. 8 links South of the post cor. of sec. 22, 23, 26 & 27.
	Land look; Timber Oak, Heik & V.
West	On the true line between Sec. 22 & 27 T. 5 N.R. 54.
40.00	Set a 7/4 sec. temp. post at the ar. dish on the true line from
	Heik. 43 Oak 10 in. dia. beam 16 ft. 30 inch dia;
80.00	Set the post cor. of sec. 21, 22, 27 & 28.

North	Return Sud. 21. 122 J. 5 N. R. 5 W.
40.00	Set a post from which
54.00	N. Oak. 20 in. diam. beam. S 74 W. 44 units north; 10
80.00	To a Brook 10 units north, Corner E.
	Set a post for the cor. of sec. 16. 15, 21. 122 from which
	N. Oak. 18 in. diam. beam. S 35 E. 44 units north; 10,
	10. 18 " " N 78 W. 60 " "
	Land rolling; Timber Oak, Hickory &c.
East	Return Sud. 15 122 J. 5 N. R. 5 W. On Random
7.75	To a Brook 10 units north, Corner N.
40.00	Set a post at the 1/4 section post
79.88	Intersect the N. 13 line 10 units North of the post cor. of sec. 14. 15, 22 & 23.
	Land soil and timber same as last mile.
West	On the true line between Sud. 15 122 J. 5 N. R. 5 W.
39.94	Set the true 1/4 sec. post at the av. dist on the true line from which Hickory 10 in. diam. beam. S 44 E. 15 units north;
	under Co. 15 " " N 40 W. 20 " "
79.88	To the post cor. of sec. 15. 16. 21 & 22.
North	Return Sud. 15 & 16 J. 5 N. R. 5 W.
37.50	To a Brook 12 units north, Corner N. R.
40.00	Set a post from which
	N. Walnut. 10 in. diam. beam. S 50 W. 16 units north; 10,
	N. Oak. 20 " " " S 80 E. 24 " "
56.25	To a Brook. 5th side, Corner N.
80.00	Set a post for the cor. of sec. 9. 10. 15 & 16. from which
	Yum. 12 in. diam. beam S 77 E. 25 units north; 10,
	Yum. 12 " " " N 48 W. 16 " "
	Land soil and timber same.

D. No 5 N.R. No 5 W. 2nd Mer. Sud:

East	On a Random line between Sw. 10 & 15 T. 5 N. R. 5 W.
40.00	Set a 7/4 sec. temp. 1/4 post
80.00	Enter cut the N & S line 12 links South of the Post cor. of Sw. 10 11 14 & 15 Land soil and timber same as last note.
West	On the true line between Sw. 10 & 15 T. 5 N. R. 5 W.
40.00	Set the 7/4 sec temp. 1/4 post on the true line at the av. dish; from which a Hickory 12 in. diam. bears N 79 E. 18 links dish; & a, 43 Oak. 5 " " " N 86 W. 18 " "
80.00	To the Post cor. of Sw. 9 10 15 & 16
North	Between Sw. 9 & 10 T. 5 N. R. 5 W.
5.00	To a Brook 12 links wide, Corner N.E.
21.00	" " " " " " " " N.W.
40.00	Set a 7/4 sec post from which a Sugar. 10 in diam. bears N 15 W. 33 links dish; 1 a, Do. 10 " " " " N 50 W. 31 " "
7.84	To a Brook 50 links wide, Corner N.
80.00	Set a post for the cor. of Sw. 3 4 9 & 10 from which a N. Oak. 12 in. diam. bears S 6 E. 38 links dish; & a Hogwood 6 " " " " S 38 E. 31 " " Land soil Timber Oak, & Hickory
East	On a Random line between Sw. 3 & 10 T. 5 N. R. 5 W.
40.00	Set a temp. 7/4 sec post
47.00	To a Brook. 8 links wide, Corner E.
80.10	Enter cut the N & S line 12 links South of the Post cor. of 2, 3, 10 & 11 Land soil and timber same as last note.
West	On the true line between Sw. 3 & 10 T. 5 N. R. 5 W.
40.05	Set the temp. 7/4 sec post at the av. dish on the true line

441

T. N. 5 N.R. N. 5 W. 2nd Mer. Sur.

	<p>from which W. Oak. 12 in. diam. bears S 9 E. 13 links north; and a Do. 15 " " " N 12 E. 28 " "</p> <p>80.10 To the post cor. of Secs. 3, 4, 9, & 10.</p>
North	Between Sur. 3 & 4. T. 5 N.R. 5 W.
15.50	To a W. Oak. 20 in. diam. stands in the line.
40.00	Set a 7/8 cu. post from which a Gum. 10 in. diam. bears S 50 E. 42 links north; W. is W. Oak. 12 " " " N 71 W. 33 " "
63.50	To a Brook. 8 links wide, crosses N.W.
82.40	Set a post on the N. Bound. 798 links East of the post cor. of Secs. 33 & 34 T. 6 N.R. 5 W. from which a W. Oak. 20 in. diam. bears S 8 E. 49 links north; V. a, Do. 20 " " " N 72 W. 6 " " Same soil and timber same.
North	Between Sur. 32 & 33. T. 5 N.R. 5 W.
40.00	Set a 7/8 cu. post in a brush thicket.
80.00	Set a post for the cor. of Secs. 28, 29, 32 & 33 in a thick brush.
East	On a random line between Sur. 28 & 33 T. 5 N.R. 5 W.
40.00	Set a 7/8 cu. temp. post.
80.10	Set a post on the N.W. line 9 links south of the post cor. of Secs. 27, 28, 33 & 34 Same soil and timber same as last mile. This line was not corrected.
North	Between Sur. 28 & 29 T. 5 N.R. 5 W.
40.00	Set a 7/8 cu. post no timber high; very brushy.
80.00	Set a post for the cor. of Secs. 20, 21, 28 & 29. In a thick brush.

T. No 5 N.R. No 577. 2nd Mar

East Quakrandum line between Sec. 21 & 28 T. 5 N. R. 577.
 40.00 Set a trap 7/4 cu. feet
 65.00 Prairie
 80.00 Intersect the N. 5 line at the post cor. of sec. 21, 22, 27 & 28. Sand rock.

West On the true line between Sec. 21 & 28 T. 5 N. R. 577.
 40.00 Set the trap 7/4 cu. feet at cor. ditch on the true line from which a black 10 in. diam. trans. N 72 W. 44 the ditch, and a No. 10 " " N 13 E. 48 " "
 80.00 To the post cor. of sec. 20, 21, 28 & 29.

North Between Sec. 20 & 21 T. 5 N. R. 577.
 40.00 Set a 7/4 cu. feet from which a B. Oak. 24 in. diam. trans. S 10 E. 15 1/2 limbs ditch; 1/2
 62.25 To a Brook. 12 limbs inside corner N.
 80.00 Set a post for the cor. of sec. 16, 17, 20 & 21 from which a Poplar. 10 in. diam. trans. S 27 E. 11 limbs ditch; 1/2
 " " " " " 659 N. 30 " "
 Sander rolling; (Yimbu Oak, & Hick)

East Quakrandum line between Sec. 16 & 21 T. 5 N. R. 577.
 40.00 Set a 7/4 cu. feet (trap 7/4)
 80.08 Intersect the N. 5 line 8 limbs South of the post cor. of sec. 15, 16, 21 & 22.
 Sanderling bushy

West On the true line between Sec. 16 & 21 T. 5 N. R. 577.
 40.04 Set the trap 7/4 cu. feet at the cor. ditch on the true line from which a black 12 in. diam. trans. S 29 E. 10 the ditch and a No. 18 " " West 5 " "
 80.08 To the post cor. of sec. 16, 17, 20 & 21.

443

T^o N^o 5 N^o 18 N^o 5 N^o 2nd Mer. Sud^e

North	Between Sul. 16 & 17 T. 5 N. 18. 5 N.
40.00	Set a $\frac{1}{4}$ sec post from which Hick 12 in. diam. trans. N 40 N. 32 links dist; & $\frac{1}{4}$ W Oak. 10 " " " S 4 N. 11. " "
72.50	To a Brook 4 links wide, Corner N. N.
80.00	Set a post for the cor. of sec. 8. 9. 16. & 17 from which W Oak. 20 in. diam. trans. N 59 N. 55 links dist; & $\frac{1}{4}$ W Oak. 20 " " " S 66 E. 32 " " Land rolling; Little Oak, Hick & L.
East	On a Random line between Sul. 9 & 16 T. 5 N. 18. 5 N.
40.00	Set a temp. $\frac{1}{4}$ sec post
77.00	To a Brook. 12 links wide, Corner N.
80.00	Intersect the N & S line 9 links North of the post cor. of sec. 9. 10. 15 & 16 Land flat and timber same.
West	On the true line between Sul. 9 & 16 T. 5 N. 18. 5 N.
40.00	Set the temp. $\frac{1}{4}$ post on the true line at the corner dist for the cor. of $\frac{1}{4}$ sec from which is Hick 12 in. diam. trans. N 62 E. 18 links dist; & $\frac{1}{4}$ W Oak. 5 " " " N 73 W. 16 " "
80.00	To the post cor. of sec. 8. 9. 16. & 17.
North	Between Sul. 8 & 9 T. 5 N. 18. 5 N.
40.00	Set a $\frac{1}{4}$ sec post from which W Oak. 24 in. diam. trans. N 6 E. 45 links dist; & $\frac{1}{4}$ L. 20 " " " N 83 E. 32 " "
62.00	To a Spring Corner N. N.
80.00	Set a post for the cor. of sec. 4. 5. 8 & 9 from which Sugar. 12 in. diam. trans. N 25 N. 21 links dist; & $\frac{1}{4}$ Gum. 10 " " " S 32 E. 44 " " Land rolling and very bushy;

T. N. 5 N.R. N. 5 W. 2nd Mer. Sur.

East Quadrandum line between Sur. 4 & 9 T. 5 N.R. 5 W.
 20.50 To at Brook. 40 links mid.,
 40.00 Set a stump $1\frac{1}{4}$ sap post
 79.95 Intersect the N. 5. 18 links North of the post cor of the
 Sur. 3, 4, 9 & 10 Land same as last mile.

West Cut the line between Sur. 4 & 9 T. 5 N.R. 5 W.
 39.97 $\frac{1}{2}$ Set the stump $1\frac{1}{4}$ sap post at the av. dist on the line from
 which a Maple 10 in. diam. bears N 78 W. 28 links west;
 do do 12 " " " N 38 E. 33 "
 79.95 To the post cor of Sur. 4, 5, 8 & 9.

North Return Sur. 4 & 5 T. 5 N.R. 5 W.
 13.00 To at Brook. 50 links mid. Course N.
 40.00 Set a $\frac{1}{4}$ sap post from which a
 W Oak. 10 in. diam. bears N 84 W. 14 links west; & a
 Logwood 7 " " " S 31 E. 9 " "
 71.00 To at Brook. 10 links mid. Course N. W.
 82.60 Intersect the N. 30 W. 75 links East of the post
 cor of Sur. 32 & 33 T. 6 N.R. 5 W. and set a post for the
 cor of Sur. 4 & 5 from which a
 W Oak. 24 in. diam. bears N 75 W. 27 links west; & a
 Logwood 8 " " " N 82 E. 27 " "
 Sound best Timber Oak & Hickory.

North Return Sur. 31 & 32 T. 5 N.R. 5 W.
 10.00 Prairie
 40.00 In prairie
 80.00 Set a post for the cor. of Sur. 29, 30, 31 & 32. in the prairie

East Quadrandum line between Sur. 29 & 32 T. 5 N.R. 5
 40.00 Set a stump $1\frac{1}{4}$ sap post
 70.00 To barrens.

445

T. N. 5 N.R. N. 5 W. 2nd Mer. Ind.

80.00	Intersect the NTS line 8 miles North of the post cor. of Sec. 32, 28, 29 33. Land is barren.
North 40.00 74.00 80.00	Between Sec. 29 & 30 T. 5 N. R. 5 W. Set a 7/8 cu post To timbered land Set a post for the cor. of Sec. 19, 20, 29 & 30 from which B. Oak 10 in. diam. trees N 87 W. 45 miles each; & a No. 12 " " " N 47 E. 13 " " Some timber on this line.
West 40.00 80.00	On the line between Sec. 29 & 32 T. 5 N. R. 5 W. Set the temp. 7/8 cu post at the av. dist on the line in front To the post cor. of Sec. 29, 30, 31 & 32
East 40.00 80.00	On the same line between Sec. 20 & 29 T. 5 N. R. 5 W. Set a 7/8 cu post. (temp. 7) Intersect the NTS line 10 miles North of the post cor. of Sec. 20, 21, 28 & 29. Land is rolling and bushy
West 40.00 80.00	On the line between Sec. 20 & 29 T. 5 N. R. 5 W. Set the temp. 7/8 cu post at av. dist on the line from which B. Oak 2 in. diam. trees. N 29 E. 58 miles each. To the post corner of Sec. 19, 20, 29 & 30.
North 33.00 40.00 47.90	Between Sec. 19 & 20 T. 5 N. R. 5 W. To a Brook 5 miles wide, Meander S. W. Set a 7/8 cu post from which Amm 10 in. diam. trees South 63 miles each; & a Logwood 7 " " " N 70 W. 31 " " To a N Oak, 10 in. diam. stands in the line.

T. N. 5 N.R. N. 5 W. 2nd Mer. Ind.

80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which a
 W Oak 15 in. diam. bears S 15 E. 14 links (web); & a
 Do. 20 " " " N 76 W. 46 " "
 Sand bar and timber same.

East On a Random line between Sec. 17 & 20 T. 5 N. R. 5 W.
 40.00 Set a stump 1/4 mi. S of post
 80.00 Intersect the N 75 line 12 links South of the post cor.
 16, 17, 20 & 21.
 Sand bar Timber same.

West On the true line between Sec. 17 & 20 T. 5 N. R. 5 W.
 40.00 Set the stump 1/4 mi. S of post at the av. dist. on the true line
 from which a W Oak 12 in. diam. bears East 2 links dist.
 80.00 To the post cor. of sec. 17, 18, 19 & 20.

North Between Sec. 17 & 18 T. 5 N. R. 5 W.
 40.00 Set a 7/4 S of post from which a
 W Oak 10 in. diam. bears South 40 links (web); & a
 Do. 10 " " " N 66 W. 18 " "
 50.90 To a Poplar 18 in. diam. stands on the line.
 80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which a
 W Oak 20 in. diam. bears S 58 W. 15 links (web); & a
 W Oak 12 " " " S E. 65 " "
 Sand rolling Timber Oak, & maple

East On a Random line between Sec. 8 & 17 T. 5 N. R. 5 W.
 40.00 Set a stump 1/4 mi. S of post
 79.88 Intersect the N 75 line 18 links South of the post cor. of
 Sec. 8, 9, 16 & 17
 Sand bar and timber same as last mile

West On the true line between Sec. 8 & 17 T. 5 N. R. 5 W.

467

T. N. 5 N.R. N. 5 W. 2nd Mer. Ind.

39.94	Set the trap 17 1/4 cu post at the av. dieb on the true line. from which a Logwood 7 in dia: bears N 82 E. 29 lbs dia: and a W Oak. 10 " " " S 64 W 38 " "
79.88	To the post cor. of sec. 7. 8. 17 & 18.

North	Between Sec. 7 & 8 T. 5 N.R. 5 W.
25.00	To a B Oak 20 in. dia: stands in the line.
40.00	Set a 7/4 cu post from which a W Oak. 10 in. dia: bears N 1 W. 133 links due; & a
80.00	Set a post for the cor. of sec. 5. 6. 7 & 8. from which a Heik 10 in. dia: bears S 25 E. 16 links due; & a Lo. 10 " " " N 44 W. 14 " " Sec. do soil and timber same as last mile.

East	On a Random line between Sec. 5 & 8 T. 5 N.R. 5 W.
40.00	Set a trap 17 1/4 cu post
65.00	To a Brook 10 links wide, corner N.W.
70.00	To the south end of a brook 50 links wide, corner NW
80.20	Enter at the N.E. line 15 links South of the post cor. of sec. 4, 5, 8 & 9. Sec. do same as last mile.

West	On the true line between Sec. 5 & 8. T. 5 N.R. 5 W.
40.10	Set the trap 17 1/4 cu post at the av. dieb on the true line from which a B Oak. 5 in. dia: bears N 30 E. 30 lbs dia: and a Heik 10 " " " S 61 E. 58 " "
80.20	To the post cor. of sec. 5. 6. 7 & 8

North	Between Sec. 5 & 6. T. 5 N.R. 5 W. 2 nd Mer. Ind.
35.00	To a Brook 6 links wide, corner N.E.
40.00	Set a 7/4 cu post from which a W Oak. 10 in. dia: bears South 40 links due; & a B Oak 9 " " " S 48 E. 14 " "
82.55	Enter at the N. Bound 133 links East of the

T. 5 N. 5 W. 2nd Mer. Sec.

Post corner of sec. 31 & 32 T. 6 N. 5 W. and set a post 5 & 6 from which a

Poplar 10 in. diam. bears S 49 E. 69 links dist; 8

N. Oak. 20 " " S 44 W. 51 " "

Land met; Timber Oak, Elm & Hickory.

West Between Sec. 6 & 7 T. 5 N. 5 W.

40.00 Set a 7th post from which a

N. Oak. 20 in. diam. bears S 24 E. 53 links dist; 8

W. Oak. 12 " " S 57 E. 46. " "

51.50 To a W. Oak. 10 in. diam. stands in the line.

65.00 To a grassy pond 20 chains wide.

90.50 Enter cut the West Boundary 25 links South of the post corner of sec. 1 & 10 T. 5 N. 6 W. and set a post for the cor. of sec. 6 & 7 from which a

W. Oak. 12 in. diam. bears N 7 W. 25 links dist; 8

Height 12 " " S 3 E 40 " "

Land met.

West Between Sec. ~~14~~¹⁸ & 19 T. 5 N. 5 W.

20.50 To a Brook. 6 links wide, corner N.

40.00 To a Poplar. 92 in. diam. stands for the cor. of 7th sec.

60.20 To a N. Oak. 20 in. diam. stands in the line.

91.50 Enter cut the West Boundary 14 links South of the post cor. of sec. 12 & 13 T. 5 N. 6 W. and set a post for the cor. of sec. 7 & 18 from which a

N. Oak. 20 in. diam. bears S 48 E. 26 links dist; 8

Loc. 24 " " N 31 E 36 " "

Land rolling Timber Oak, Hickory.

West Between Sec. 18 & 19 T. 5 N. 5 W.

40.00 Set a 7th post from which a

N. Oak. 20 in. diam. bears N 29 W. 25 links dist; 8

T. N. 5 N. R. 5 W. 2nd Mer. Ind.

53.00 Hickory 7 in. diam. trees 46 E. 17 links dist; 1/2
 To at Brook 8 links wide Course S.
 67.00 " " Oak 18 in. diam on the line.
 91.86 Intersect the West Boundary 25 links North of the post
 cor of sec. 13 & 24 T. 5 N. 6 W. and set a post for the
 cor of sec. 18 & 19 from which -
 B. Oak 20 in. diam. trees. 57 N. 47 links dist; 1/2
 Co. 30 " " " 59 N. 7 " "
 Second rail ends Ambler Lane.

West Between Sec. 19 & 20 T. 5 N. 5 W.
 15.00 To prairie
 40.00 Set a 1/4 section post - from which is
 Elm 10 in. diam. trees. N 29 W. 35 links dist; 1/2
 B. Oak 12 " " " 46 N. 67 " "
 On the West side of prairie
 60.00 prairie
 92.86 Intersect the West Boundary at the post cor of sec. 24 &
 25. T. 5 N. 6 W.

West Between Sec. 30 & 31 T. 5 N. 5 W.
 40.00 Set a 1/4 section post
 93.40 Intersect the West Boundary 12 links North of the post
 cor of sec. 25 & 36. T. 5 N. 6 W. and set a post for the
 cor of sec. 30 & 31

Surveyed by
 Arthur Kenner L.S.

North Between Sec. 31 & 32 T. 5 N. 5 W.
 34.83 Intersect the Indian Boundary line and set a post
 for the cor of quad. Sec. 31 & 32 from which -
 B. Oak 18 in. diam. trees N 32 E. 18 links dist; 1/2
 Co 14 " " " 32 N. 22 " "

T. No. 5 N. R. 5 W 2nd Mer. Ind.

Land held Linton Heintz Oak. & Logwood T's.
 Surveyed by
 David Sanford. L.S.

I certify that the foregoing Transcript of Township
 No. 5 North of Range No. 5 West 2nd Mer.
 Indiana, has been compared with the Original
 notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati, May 5: 1841

E. S. Haines
 Sur. Genl.